



FDEAS 760:2011
ICS 67.060

FINAL DRAFT EAST AFRICAN STANDARD

Lentils — Specification

EAST AFRICAN COMMUNITY

HS 0713.40.00

Foreword

Development of the East African Standards has been necessitated by the need for harmonizing requirements governing quality of products and services in East Africa. It is envisaged that through harmonized standardization, trade barriers which are encountered when goods and services are exchanged within the Community will be removed.

In order to meet the above objectives, the EAC Partner States have enacted an East African Standardization, Quality Assurance, Metrology and Test Act, 2006 (EAC SQMT Act, 2006) to make provisions for ensuring standardization, quality assurance, metrology and testing of products produced or originating in a third country and traded in the Community in order to facilitate industrial development and trade as well as helping to protect the health and safety of society and the environment in the Community.

East African Standards are formulated in accordance with the procedures established by the East African Standards Committee. The East African Standards Committee is established under the provisions of Article 4 of the EAC SQMT Act, 2006. The Committee is composed of representatives of the National Standards Bodies in Partner States, together with the representatives from the private sectors and consumer organizations. Draft East African Standards are circulated to stakeholders through the National Standards Bodies in the Partner States. The comments received are discussed and incorporated before finalization of standards, in accordance with the procedures of the Community.

Article 15(1) of the EAC SQMT Act, 2006 provides that "Within six months of the declaration of an East African Standard, the Partner States shall adopt, without deviation from the approved text of the standard, the East African Standard as a national standard and withdraw any existing national standard with similar scope and purpose".

East African Standards are subject to review, to keep pace with technological advances. Users of the East African Standards are therefore expected to ensure that they always have the latest versions of the standards they are implementing.

© East African Community 2011 — All rights reserved*

East African Community

P O Box 1096

Arusha

Tanzania

Tel: 255 27 2504253/8

Fax: 255-27-2504481/2504255

E-Mail: eac@eachq.org

Web: www.each.int

* © 2011 EAC — All rights of exploitation in any form and by any means reserved worldwide for EAC Partner States' NSBs.

Introduction

This standard has been developed to take into account:

- the needs of the market for the product;
- the need to facilitate fair domestic, regional and international trade and prevent technical barriers to trade by establishing a common trading language for buyers and sellers.
- the structure of the CODEX, UNECE, USA, ISO and other internationally significant standards;
- the needs of the producers in gaining knowledge of market standards, conformity assessment, commercial cultivars and crop production process;
- the need to transport the product in a manner that ensures keeping of quality until it reaches the consumer;
- the need for the plant protection authority to certify, through a simplified form, that the product is fit for cross-border and international trade without carrying plant disease vectors;
- the need to promote good agricultural practices that will enhance wider market access, involvement of small-scale traders and hence making farming a viable means of wealth creation
- the need to ensure a reliable production base of consistent and safe crops that meet customer requirements.

Contents

| | | |
|-----|-----------------------------|---|
| 1 | Scope | 1 |
| 2 | Normative references..... | 1 |
| 3 | Terms and definitions | 2 |
| 4 | Quality requirements | 3 |
| 4.1 | General requirements | 3 |
| 4.2 | Specific requirements..... | 3 |
| 5 | Contaminants..... | 4 |
| 5.1 | Heavy metals..... | 4 |
| 5.2 | Pesticide residues | 4 |
| 5.3 | Mycotoxin limits | 4 |
| 6 | Hygiene | 4 |
| 7 | Packaging | 5 |
| 8 | Labelling..... | 5 |
| 9 | Sampling methods | 6 |

Draft for comments only — Not to be cited as East African Standard

Lentils — Specification

1 Scope

This East African Standard specifies the requirements and methods of sampling and test for shelled whole lentils of varieties (cultivars) grown from *Lens culinaris* Medic. Syn. *Lens esculenta* Moench. intended for human consumption.

2 Normative references

The following normative documents contain provisions which, through reference in this text constitute provisions of this East African Standard.

EAS 39, *Hygiene in the food and drink manufacturing industry — Code of practice*

EAS 38, *Labelling of pre-packaged foods — Specification*

EAS 79, *Cereals and pulses as grain — Methods of sampling*

EAS 217, *Methods for the microbiological examination of foods*

ISO 520, *Cereals and pulses — Determination of the mass of 1000 grains*

ISO 605, *Pulses — Determination of impurities, size, foreign odours, insects, and species and variety — Test methods*

ISO 2164, *Pulses — Determination of glycosidic hydrocyanic acid*

ISO 2171, *Cereals, pulses and by-products — Determination of ash yield by incineration*

ISO 4112, *Cereals and pulses — Guidance on measurement of the temperature of grain stored in bulk*

ISO 4174, *Cereals, oilseeds and pulses — Measurement of unit pressure loss in one-dimensional air flow through bulk grain*

ISO 5223, *Test sieves for cereals*

ISO 5526, *Cereals, pulses and other food grains — Nomenclature*

ISO 5527, *Cereals — Vocabulary*

ISO 6322-1, *Storage of cereals and pulses — Part 1: General recommendations for the keeping of cereals*

ISO 6322-2, *Storage of cereals and pulses — Part 2: Practical recommendations*

ISO 6322-3, *Storage of cereals and pulses — Part 3: Control of attack by pests*

ISO 6639-1, *Cereals and pulses — Determination of hidden insect infestation — Part 1: General principles*

ISO 6639-2, *Cereals and pulses — Determination of hidden insect infestation — Part 2: Sampling*

ISO 6639-3, *Cereals and pulses — Determination of hidden insect infestation — Part 3: Reference method*

ISO 6639-4, *Cereals and pulses — Determination of hidden insect infestation — Part 4: Rapid methods*

FDEAS 760:2011

ISO 13690, *Cereals, pulses and milled products — Sampling of static batches*

ISO 16002:2004, *Stored cereal grains and pulses — Guidance on the detection of infestation by live invertebrates by trapping*

ISO 16050, *Foodstuffs — Determination of aflatoxin B₁, and the total content of aflatoxin B₁, B₂, G₁ and G₂ in cereals, nuts and derived products — High performance liquid chromatographic method*

ISO/TS 16634-2, *Food products — Determination of the total nitrogen content by combustion according to the Dumas principle and calculation of the crude protein content — Part 2: Cereals, pulses and milled cereal products*

ISO 20483, *Cereals and pulses — Determination of the nitrogen content and calculation of the crude protein content — Kjeldahl method*

ISO 24557, *Pulses — Determination of moisture content — Air-oven method*

CODEX Stan 193, *Codex general Standards for contaminants and toxins in Food and Feed*

3 Terms and definitions

For the purpose of this East African Standard, the following definitions and grading factors shall apply.

3.1

lentils

threshed seeds of the lentil plant (*Lens culinaris* Medic. Syn. *Lens esculenta* Moench),

3.2

peeled, split and broken

includes lentils which are otherwise sound but which are less than three-quarters of whole seeds or where less than one-half of the seed coat is intact. Lentils with cracked or clipped seed coats are considered sound when the cotyledons are firmly held together.

3.3

damaged lentils

whole and pieces of lentils which are distinctly damaged by frost, weather, disease, heat (other than to a material extent), immature, or other causes, except weevil or material heat damage or are distinctly soiled or stained by nightshade, dirt, or toxic material or otherwise damaged in a way which materially affects quality.

NOTE: Kernels that are deformed are considered sound unless there is another reason for the damage beyond the deformity.

3.4

defective lentils (total)

the categories of defective lentils shall be weevil damaged lentils, heat-damaged lentils, damaged lentils, and split lentils

3.5

foreign matter

any extraneous matter than lentils or other food grains comprising of

- (a) "inorganic matter" includes metallic pieces, shale, glass, dust, sand, gravel, stones, dirt, pebbles, lumps or earth, clay, mud and animal filth etc;
- (b) "organic matter" consisting of detached seed coats, straws, weeds and other inedible grains etc.

3.6**toxic, poisonous and/or harmful seeds**

any seed which if present in quantities above permissible limit may have damaging or dangerous effect on health, organoleptic properties or technological performance such as Jimson weed — datura (*D. fastuosa* Linn and *D. stramonium* Linn.) corn cokle (*Agrostemma githago* L., *Machai Lallium remulenum* Linn.) Akra (*Vicia* species), *Argemone mexicana*, Khesari and other seeds that are commonly recognized as harmful to health

3.7**whole lentils**

lentils with one-fourth or less of the cotyledons removed and with the remainder of the cotyledons firmly held together

3.8**immature lentils**

lentils that do not have a traditional lens shaped profile due to immaturity. Immature lentils are characterized as having a thin or flat (wafer-like), wrinkled, and misshapen appearance. Lentils may also be discoloured.

4 Quality requirements**4.1 General requirements**

Lentils shall meet the following general requirements/limits as determined using the relevant standards listed in Clause 2. Lentils;

- a) shall consist of mature dry seeds obtained from the plant botanically known as *Lens culinaris* Medic. Syn. *Lens esculenta* Moench.
- b) shall be well-filled, clean, wholesome, uniform in size, and shape;
- c) shall be free from substances which render them unfit for human or animal consumption or processing into or utilization thereof as food or feed;
- d) shall be free from abnormal flavors, musty, sour or other undesirable odour, obnoxious smell and discoloration;
- e) shall be free from micro-organisms and substances originating from micro-organisms, fungi or other poisonous or deleterious substances in amounts that may constitute a hazard to human health.

4.2 Specific requirements**4.2.1 Grading**

Lentils shall be graded into three grades on the basis of the tolerable limits established in Table 1 which shall be additional to the general requirements set out in this standard.

4.2.2 Ungraded lentils

Shall be lentils which do not fall within the requirements of Grades 1, 2, and 3 of this standard but are not rejected lentils.

Note: For Tanzania and Burundi this requirement shall not apply.

4.2.3 Reject grade lentils

Reject lentils shall be peas which are musty, sour, heating, materially weathered, or weevily; which have any commercially objectionable odour; which contain insect webbing or filth, animal filth, any unknown foreign substance, broken glass, or metal fragments; or which are otherwise of distinctly low quality. The characteristics are not within the parameters specified in Table 1. They cannot satisfy the

FDEAS 760:2011

conditions of under grade lentils and shall be graded as reject lentils and shall be regarded as unfit for human or animal consumption.

Table 1 — Specific requirements

| Characteristics | Maximum limits | | | Method of test |
|--|----------------|---------|---------|----------------|
| | Grade 1 | Grade 2 | Grade 3 | |
| Foreign matter, % m/m | 0.2 | 0.5 | 1 | ISO 605 |
| Inorganic matter, % m/m | 0.1 | 0.2 | 0.5 | |
| Broken/split grains, % m/m | 2 | 3.5 | 5 | |
| Pest damaged grains, % m/m | 0.3 | 0.5 | 0.6 | |
| Rotten & Diseased grains, % m/m | 0.2 | 0.5 | 0.5 | |
| Discolored grains, % m/m | 1 | 2 | 3 | |
| Immature/Shriveled grains, % m/m | 1 | 2 | 5 | |
| Filth, % m/m | 0.1 | 0.1 | 0.1 | |
| Total Defective Grains, % m/m | 2 | 3.5 | 5 | |
| Moisture, % m/m | 13.0 | 13.0 | 13.0 | |
| Total Aflatoxin (AFB1+AFB2+AFG1+AFG2), ppb | 10 | | | ISO 16050 |
| Aflatoxin B1 only, ppb | 5 | | | |
| Fumonisin ppm | 2 | | | |

5 Contaminants

5.1 Heavy metals

Lentils shall comply with those maximum limits for heavy metals established by the Codex Alimentarius Commission for this commodity.

5.2 Pesticide residues

Lentils shall comply with those maximum pesticide residue limits established by the Codex Alimentarius Commission for this commodity

Note: where the use of certain pesticides is prohibited by some Partner States, then it shall be notified to all Partner States accordingly.

5.3 Mycotoxin limits

Lentils shall comply with those maximum mycotoxin limits established by the Codex Alimentarius Commission for this commodity. In particular, total aflatoxin levels in Lentils for human consumption shall not exceed 10 µg/kg (ppb) with B₁ not exceeding 5 µg/kg (ppb) when tested according to ISO 16050.

6 Hygiene

6.1 Lentils shall be produced, prepared and handled in accordance with the provisions of appropriate sections of EAS 39

6.2 When tested by appropriate standards of sampling and examination listed in Clause 2, the products:

shall be free from microorganisms in amounts which may represent a hazard to health and shall not exceed the limits stipulated in Table 2;

- shall be free from parasites which may represent a hazard to health; and
- shall not contain any substance originating from microorganisms in amounts which may represent a hazard to health.

Table 2 — Microbiological limits

| | Type of micro-organism | Limits | Test method |
|------|-----------------------------------|-----------------|-------------|
| i) | Yeasts and moulds, max. per g | 10 ⁴ | EAS 217 |
| ii) | <i>S.aureus</i> per 25 g | Not detectable | |
| iii) | <i>E. Coli</i> , max. per g | Not detectable | |
| iv) | <i>Salmonella</i> , max. per 25 g | Not detectable | |

7 Packaging

7.1 Lentils shall be packed in suitable packages which shall be clean, sound, free from insect, fungal infestation and the packing material shall be of food grade quality.

7.2 Lentils shall be packed in containers which will safeguard the hygienic, nutritional, technological and organoleptic qualities of the products.

7.3 The containers, including packaging material, shall be made of substances which are safe and suitable for their intended use. They shall not impart any toxic substance or undesirable odour or flavour to the product.

7.4 Each package shall contain Lentils of the same type and of the same grade designation.

7.5 If Lentils are presented in bags, the bags shall also be free of pests and contaminants.

7.6 Each package shall be securely closed and sealed.

8 Labelling

In addition to the requirements in EAS 38, each package shall be legibly and indelibly marked with the following:

- i) product name as "Lentils";
- ii) variety;
- iii) grade;
- iv) name, address and physical location of the producer/ packer/importer;
- v) lot/batch/code number;
- vi) net weight, in kg;

Note: EAC partner states are signatory to the International Labour Organizations (ILO) for maximum package weight of 50kg where human loading and offloading is involved

- vii) the declaration "Food for Human Consumption"
- viii) storage instruction as "Store in a cool dry place away from any contaminants";

FDEAS 760:2011

- ix) crop year;
- x) packing date;
- xi) instructions on disposal of used package;
- xii) country of origin;
- xiii) a declaration on whether the lentils were genetically modified or not.

9 Sampling methods

Sampling shall be done in accordance with the EAS 79/ISO 13690.

Draft for comments only — Not to be cited as East African Standard

Draft for comments only — Not to be cited as East African Standard